

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



192.9  
0.3 Wat  
of .2

# Water Supply Outlook For Idaho



SOIL CONSERVATION SERVICE  
U.S. DEPARTMENT OF AGRICULTURE

Cooperating with

IDAHO DEPARTMENT OF WATER RESOURCES

AS OF  
APR. 1, 1979

**IMPORTANT NOTICE INSIDE**



## TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

*COVER PHOTO: VIEW OF A SNOTEL DATA SITE IN THE SNOWY RANGE IN WYOMING. TALL CYLINDRICAL DEVICE IS A PRECIPITATION GAGE. SNOW PILLOWS ON THE GROUND NOT VISIBLE DUE TO SNOW COVER. SHELTER HOUSE, ANTENNA TOWER, ANTENNA, AND TEMPERATURE UNIT ARE VISIBLE BEHIND THE PRECIPITATION GAGE.*

### PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchorage, Alaska 99504
Arizona	Room 3008, Federal Building, 230 N. First Ave., Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno, Nevada 89505
Oregon	1220 S. W. Third Ave., Portland, Oregon 97204
Utah	4420 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138
Washington	360 U. S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82602

### PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Snow Surveys Branch, California Department of Water Resources, P.O. Box 388, Sacramento, California 95802 --- for British Columbia by the Ministry of the Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia V8V 1X5 --- for Yukon Territory by the Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory Y1A 3V1 --- and for Alberta, Saskatchewan, and N.W.T. by the Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta T3C 1A6.



# **WATER SUPPLY OUTLOOK**

## **IMPORTANT NOTICE REVISION OF FREE MAILING LIST**

IF YOU WISH TO CONTINUE to receive this publication,  
please turn to the back page, read the instructions, -----  
TEAR OFF THE BACK COVER of this bulletin, sign your  
name, fold it on the heavy line, staple or tape, and ----  
MAIL IMMEDIATELY.

IF THE BACK COVER IS NOT RETURNED WITHIN 30 DAYS,  
YOUR NAME WILL BE REMOVED FROM OUR LIST.

*THIS NOTICE IS REQUIRED BY THE CONGRESSIONAL JOINT COMMITTEE  
ON PRINTING FOR THE ANNUAL REVISION OF FREE MAILING LISTS.*

Please make any address corrections before mailing.





# WATER SUPPLY OUTLOOK for IDAHO



## GENERAL SUMMARY FOR APRIL 1 1979

April 1 snow surveys indicated that climatic conditions during March caused very little change in the mountain snowpack in relation to normal. Snowpack accumulation varies from 65 percent of average on the Canyon Creek drainage to 114 percent of normal on the Portneuf River and Cub River watersheds.

Generally the maximum snowpack has accumulated by April 1 each year and most accurately reflects the volume of runoff to be expected during the irrigation season.

Seasonal streamflow forecasts vary from a low of 45 percent of average for Magic Reservoir Inflow on the Big Wood River drainage to 121 percent of normal for Montpelier Creek drainage in southeastern Idaho.

Reservoir storage is good with seventeen irrigation reservoirs in southern Idaho showing a combined storage volume of 107 percent of normal.

The National Weather Service reports that valley precipitation during March was below normal while temperatures were slightly above average throughout Idaho.

### Upper Columbia River Basin

Snowpack accumulation for these watersheds varies from 74% of average for the Priest River drainage in Idaho to 94% of normal for the Upper Clark Fork watershed in western Montana. The Spokane River watershed has 84% of normal snowpack. Seasonal runoff forecasts vary from 62% for the Priest River at Priest River, Idaho to 86% of normal for Clark Fork River at Whitehorse Rapids, Montana. Combined storage volume of five major reservoirs is 94% of average.

### Lower Snake River Basin

Snowpack accumulation varies from 76% of average on the Salmon River watershed to 94 percent of normal on the Palouse River drainage. Seasonal streamflow forecasts for the Salmon River at Whitebird and the Clearwater River at Spalding are 75% and 76% of normal respectively.

### Middle Snake River Basin - Northside

Watersheds in this area have the poorest snowpack in the state, ranging from 65% of average in the Canyon Creek drainage north of Mountain Home to 93% of normal on the Little Lost River watershed above Howe. Seasonal runoff is forecast at 45% of normal for Magic Reservoir Inflow on the Big Wood River to 90% of average for the Weiser River near Weiser. The combined storage of nine irrigation reservoirs is 120% of normal.

### Middle Snake River Basin - Southside

The accumulated snowpack on these tributary watersheds ranges from 82% of average on the Bruneau River drainage to 106% of normal on the Jordan Creek watershed above Jordan Valley, Oregon. The snowpack on the entire Owyhee River watershed in Idaho, Nevada and Oregon is 146% of normal. Runoff forecasts range from 53% of average for Salmon Falls Creek near San Jacinto, Nevada to 164% for Lake Owyhee net inflow in Oregon. Combined storage in Oakley and Salmon Falls Reservoir is 91% of normal, and Owyhee Reservoir is 118% of average.

### Upper Snake River Basin

Snowpack accumulation varies from 90% of average on the Camas-Beaver Creeks watersheds to 114% of normal on the Portneuf River drainage. The Snake River watershed above Palisades Reservoir has 101% of normal snowpack. Seasonal forecast ranges from 91% of average for Snake River near Heise to 98% for Henry's Fork near Rexburg. Combined storage for five reservoirs is 101% of normal.

### Great Basin


The snowpack accumulation on the Idaho tributaries to the Bear River ranges from 106% of average on the Mink Creek drainage to 114% of normal on the Cub River watershed. The Upper Bear River watershed in Utah has 96% of normal snowpack. Seasonal streamflow forecasts vary from 92% of average for the Bear River at Harer, Idaho to 123% of normal for Montpelier Creek near Montpelier.



# SNOW WATER DEPTHS ACCUMULATION For Selected Snow Courses

As Compared To 1963 - 1977 15 Year Average

APRIL 1, 1979



## COMPARISON of SNOW COVER


RIVER BASIN WATERSHED	NO. OF COURSES AVERAGED	THIS YEARS SNOW WATER EXPRESSED AS PERCENT OF :	
		LAST YEAR	1963-77 AVERAGE
<u>UPPER COLUMBIA RIVER BASIN</u>			
Kootenai River	36	96	75
Pend Oreille River	107	102	92
Clark Fork River	75	105	94
Flathead River	32	97	88
Priest River	4	85	74
Spokane River	15	115	84
Hayden Creek	4	285	-
<u>LOWER SNAKE RIVER BASIN</u>			
Palouse River	5	430	94
Clearwater River	18	104	82
Salmon River	24	80	76
Lemhi River	6	105	82
<u>MIDDLE SNAKE RIVER BASIN - Northside</u>			
Little Lost River	5	128	93
Big Lost River	9	74	69
Fish Creek	2	57	90
Little Wood River	4	73	69
Big Wood River	11	65	68
Boise River	17-18	56	68
Canyon Creek	3	59	65
Payette River	14	75	75
Weiser River	6	94	85
Mann Creek	4	87	85
<u>MIDDLE SNAKE RIVER BASIN - Southside</u>			
Raft River	6	88	85
Goose-Trapper Creek	3	108	105
Salmon Falls Creek	8	93	89
Bruneau River	5	82	82
Owyhee River	7	153	146
Jordan Creek	2	119	106
<u>UPPER SNAKE RIVER BASIN</u>			
SNAKE BASIN - Above Palisades Res.	21	81	101
Camas-Beaver Creeks	3	92	90
Henrys Fork River	7-11	97	101
Teton River	11	95	107
Willow Creek	5-9	116	113
Blackfoot River	3	104	108
Portneuf River	4	120	114
<u>GREAT BASIN</u>			
Bear River - Upper	9	79	96
Bear River - Lower	25	95	106
Montpelier Creek	6	85	107
Mink Creek	7	89	106
Cub River	3	111	114
Malad River	4-6	110	107

# SNOW WATER DEPTHS

As percent of 1963-77 15 year average

APRIL 1, 1979


IDAHO



## LEGEND

- Less than 80 percent of average
- Within 20 percent of average
- More than 20 percent above average

Figures=percent of average for local drainage





## STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR			PAST RECORD	
	FORECAST <sup>c</sup>		FORECAST PERIOD	THOUSAND ACRE FEET	
	Thousand Acre Feet	Percent of Average		Last Year	Average <sup>†</sup>

## UPPER COLUMBIA BASIN

## KOOTENAI RIVER

Leonia	(at)	6950	78	Apr-Sep	8436	8883
		6060	78	Apr-Jul	7207	7727
		4850	79	Apr-Jun	5618	6150

## PEND OREILLE RIVER

## Clark Fork River

Whitehorse Rapids	(at)	12100	86	Apr-Sep	--	13781
		11000	86	Apr-Jul	--	12519
		9150	86	Apr-Jun	--	10633

## Priest River

Priest River <u>1</u> / <sup>*</sup>	(at)	525	62	Apr-Jul	--	841
--------------------------------------	------	-----	----	---------	----	-----

## SPOKANE RIVER

Post Falls <u>2</u> / <sup>*</sup>	(at)	2400	82	Apr-Sep	--	2910
------------------------------------	------	------	----	---------	----	------

## St. Joe River

Calder	(at)	1050	80	Apr-Sep	--	1309
		990	80	Apr-Jul	--	1238

## SNAKE RIVER BASIN

## SNAKE RIVER - MAIN STEM

Moran <u>3</u> / <sup>*</sup>	(at)	850	89	Apr-Sep	950	903
Palisades Inflow <u>3</u> / <sup>*</sup>		3650	94	Apr-Sep	4698	3863
Heise <u>4</u> / <sup>*</sup>	(nr)	3900	91	Apr-Sep	--	4247
Blackfoot <u>5</u> / <sup>*</sup>	(nr)	4100	90	Apr-Jul	--	4579

## Henry's Fork

Ashton <u>6</u> / <sup>*</sup>	(nr)	715	97	Apr-Sep	--	737
Rexburg <u>7</u> / <sup>*</sup>	(nr)	1500	98	Apr-Sep	--	1534

## Portneuf River

Topaz	(at)	105	97	Mar-Sep	--	108
-------	------	-----	----	---------	----	-----

## Oakley Reservoir Inflow

		30	83	Mar-Sep	--	36
--	--	----	----	---------	----	----

(c) Assuming normal meteorological conditions. 1/ Observed flow corrected for storage in Priest Lake.  
2/ Observed flow corrected for storage in Coeur d'Alene Lake 3/ Corrected for storage in Jackson Lake.  
4/ Corrected for storage in Jackson Lake and Palisades. 5/ Corrected for storage in Jackson Lake, Palisades, Island Park, Henry's Lake, Grassy Lake and diversions between Heise and Blackfoot. 6/ Corrected for storage in Henry's Lake and Island Park Reservoir. 7/ Corrected for storage in Henry's Lake, Island Park, Grassy Lake and diversions between Ashton and Rexburg.

\*National Weather Service forecast.

+1963-77 period.

# PROSPECTIVE STREAMFLOW




Based on Snow Surveys made on approximately

APRIL 1, 1979


IDAHO

20 0 20 40 60 80 100 120  
SCALE IN MILES

## LEGEND

-  Less than 80 percent of average
-  Within 20 percent of average
-  More than 20 percent above average

Figures=percent of average for local drainage



FORECASTED WATER SUPPLY AS PERCENT OF THE 1963-77 15 YEAR AVERAGE

## STREAMFLOW FORECASTS

STREAMFLOW FORECASTS		THIS YEAR			PAST RECORD		
		FORECAST <sup>c</sup>		FORECAST PERIOD	THOUSAND ACRE FEET		
		Thousand Acre Feet	Percent of Average		Last Year	Average <sup>†</sup>	
BASIN, STREAM and/or FORECAST POINT							
<u>Salmon Falls Creek</u>							
San Jacinto	(nr)	50	53	Mar-Sep	--	95	
		48	53	Mar-Jul	--	90	
<u>Bruneau River</u>							
Hot Springs	(nr)	160	64	Mar-Sep	--	251	
<u>Little Lost River</u>							
Howe	(nr)	38	86	Apr-Sep	--	44	
Wet Creek	(bl)	35	85	Apr-Sep	--	41	
		23	88	Apr-Jun	--	26	
<u>Big Lost River</u>							
Howell	(at)	150	67	Apr-Sep	--	225	
		105	68	Apr-Jun	--	154	
Mackay <u>1/</u>	(nr)	130	64	Apr-Sep	--	204	
<u>Big Wood River</u>							
Magic Reservoir		145	45	Apr-Sep	--	319	
Inflow <u>2/</u>		150	45	Mar-Jul	--	332	
<u>Little Wood River</u>							
Carey	(nr)	63	59	Apr-Sep	--	107	
		51	59	Apr-Jun	--	87	
<u>Boise River</u>							
Twin Springs	(nr)	505	69	Apr-Sep	--	733	
		475	70	Apr-Jul	--	676	
Boise <u>3/</u> *	(nr)	1150	68	Apr-Sep	--	1695	
		945	69	Apr-Jun	--	1369	
		1050	68	Apr-Jul	--	1545	
<u>South Fork</u>							
Anderson Dam <u>4/</u>	(at)	420	67	Apr-Sep	--	622	
<u>Owyhee River</u>							
Gold Cr., Nev. <u>5/</u>	(nr)	32	139	Apr-Jul	--	22	
Owyhee, Nev. <u>5/</u>	(nr)	95	125	Apr-Jul	--	80	
Lake Owyhee		538	162	Apr-Sep	--	332*	
net inflow <u>6/</u>		511	165	Apr-Jul	--	431*	

(c) Assuming normal meteorological conditions. <sup>1/</sup> Observed flow corrected for storage in Mackay Reservoir  
<sup>2/</sup> Combined flow Big Wood River nr. Bellevue and Camas Creek nr. Blaine. <sup>3/</sup> Corrected for storage in Arrow-  
 rock, Anderson Ranch and Lucky Peak. <sup>4/</sup> Corrected for storage in Anderson Ranch Reservoir. <sup>5/</sup> Corrected for  
 storage in Wild Horse Reservoir. <sup>6/</sup> From U.S.B.R. records of inflow.

+1963-77 period.



## STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR			PAST RECORD	
	FORECAST <sup>1</sup>		FORECAST PERIOD	THOUSAND ACRE FEET	
	Thousand Acre Feet	Percent of Average		Last Year	Average <sup>4</sup>
<u>Payette River</u>					
Horseshoe Bend <u>1</u> /	(nr)	1350	73	Apr-Sep	-- 1860
<u>North Fork</u>					
Cascade <u>3</u> /	(at)	420	74	Apr-Sep	-- 564
Banks <u>3</u> /	(nr)	540	74	Apr-Sep	-- 726
<u>Weiser River</u>					
Weiser	(nr)	500	90	Mar-Sep	-- 558
<u>Salmon River</u>					
Whitebird*	(at)	5430	75	Apr-Sep	-- 7196
<u>Clearwater River</u>					
Spalding*	(at)	6590	76	Apr-Sep	-- 8672

GREAT BASINBEAR RIVER

Harer

(at) 305 92 Apr-Sep 278 332

Montpelier Creek

Montpelier

(nr) 15.3 123 Apr-Sep -- 12.4\*

Cub River

Preston

(nr) 50 100 Apr-Sep -- 50.0

(c) Assuming normal meteorological conditions. 1 Corrected for storage in Cascade and Deadwood Reservoirs. 2 Corrected for storage in Deadwood Reservoir. 3 Corrected for storage in Cascade Reservoir. 4 Observed flow of Weiser River nr Weiser minus observed flow of Crane Creek at mouth +1963-77 period.

\*National Weather Service forecast.

## RESERVOIR STORAGE (1,000 Ac. Ft.)

RESERVOIR	USABLE CAPACITY	MEASURED (First of Month)		
		THIS YEAR	LAST YEAR	1963-77 AVERAGE
UPPER COLUMBIA BASIN				
Clark Fork - Pend Oreille				
Hungry Horse	3428.0	2187.0	1605.0	2157.0**
Flathead	1791.0	664.7	695.5	794.5**
Pend Oreille	1155.1	168.1	259.4	432.9
Noxon	334.6	320.8	255.0	198.5**
Spokane				
Coeur d'Alene	225.1	152.1	277.8	149.9
SNAKE BASIN				
Snake				
Jackson Lake	847.0	531.9	325.8	612.9
Palisades	1200.0	804.3	285.8	815.9
American Falls	1700.0	1548.0	1381.1	1390.8
Island Park	127.0	99.8	104.9	122.5
Grassy Lake	15.2	12.9	9.3	10.8
Brownlee	980.2	706.1	402.0	395.5
Goose-Trapper Creeks				
Oakley	74.4	42.8	36.0	33.1
Salmon Falls Creek				
Salmon Falls	182.6	45.5	47.7	63.7
Big Lost				
Mackay	44.2	43.1	31.4	32.9
Big Wood				
Magic	191.5	145.6	51.0	129.9
Little Wood				
Little Wood	30.0	26.5	13.6	18.5
Fish Creek				
Carey Valley	14.4	6.9	6.6	--
Boise				
Anderson Ranch	423.2	327.4	111.2	248.5
Arrowrock	286.6	279.7	277.9	226.6
Lucky Peak	278.2	169.0	92.6	115.5
Lake Lowell (Deer Flat)	169.0	133.2	147.5	139.3
Owyhee				
Owyhee	715.0	650.1	549.9	553.2
Payette				
Cascade	653.2	351.4	316.2	305.4
Deadwood	161.9	88.3	59.5	92.0
Weiser				
Mann Creek	11.1	9.5	9.8	--
Clearwater				
Dworshak	2016.0	457.7	407.0	--
GREAT BASIN				
Bear				
Bear Lake	1421.0	1390.6	801.6	1038.1
* Period of Record.				
**1958-72 15 year average.				

\* Period of Record.


\*\*1958-72 15 year average.

# RESERVOIR STORAGE

USABLE CONTENTS (1,000 Acre Feet)

APRIL 1, 1979

50 0 50 100 150  
SCALE IN MILES





VALLEY PRECIPITATION 1/

## Division Averages and Departures

In Inches

DRAINAGE DIVISIONS	Winter		Fall - Winter	
	March 1979		Nov. 78 - Mar. 79	
	Observed	Departure <u>2/</u>	Observed	Departure <u>2/</u>
Kootenai, Canada & U.S.	.98	- .76	9.73	-3.66
Flathead	1.69	+ .16	9.43	-1.30
Clark Fork	1.05	- .17	7.08	- .92
Pend Oreille-Spokane	1.44	-1.09	13.13	-4.42
Upper Snake	1.38	- .14	10.34	+ .23
Snake River Plain	.67	- .11	4.35	- .73
Salmon-Payette-Boise	.87	- .86	8.57	-3.22
Clearwater	2.09	- .87	14.63	-3.25
Owyhee-Malheur	.95	+ .10	5.79	+ .12

1/ Preliminary analysis and data by the National Weather Service and Meterological Service of Canada.

2/ Departure from 15-year (1963-77) drainage division average.

## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>b</sup>

UPPER COLUMBIA RIVER BASINKOOTENAI RIVER

#Bear Mountain	5400	4/3	115	45.7	47.1	64.2*
Halverson Creek	4850	4/3	91	35.0	40.8	44.2*
Smith Creek	4800	3/28	85	31.4	37.6	48.8

PEND OREILLE - PRIEST RIVER

Bear Mountain	5400	4/3	115	45.7	47.1	64.2*
Benton Meadow	2370	3/28	14	5.0	1.5	5.0
Benton Spring	4900	3/28	45	16.6	16.7	20.2
#Mosquito Ridge	5110	4/3	82	31.0	33.2	40.2
Schweitzer Bowl	4500	4/2	55	22.8	23.1	30.9*
Schweitzer Ridge	6200	4/2	81	32.0	48.2	47.8*

HAYDEN LAKE

Chilco Ridge	3650	3/29	20	6.2	0.0	--
Conie Ridge	3900	3/29	23	8.6	0.4	--
Corner Creek	3150	3/29	27	8.9	2.4	--
Sage Creek Saddle	4100	3/29	52	18.4	12.0	--

SPOKANE RIVER

Above Burke	4100	3/30	59	22.1	18.5	24.7*
Above Roland	4350	4/4	83	32.6	26.8	35.2*
Below Roland	3840	4/4	41	17.2	11.6	16.5*
Copper Ridge	4800	3/28	65	26.8	16.0	29.7
#Forty-nine Meadows	4840	4/1	76	24.7	19.8	32.5
Fourth of July Summit	3200	3/28	28	8.5	0.0	8.8
Granite Peak	6000	4/1	122	36.5	34.4	46.8
Kellogg Peak	5560	4/3	75	27.8	24.8	35.4
Lookout	5120	3/30	84	32.4	32.2	37.1
#Lost Lake	6080	4/1	134	40.5	44.3	61.8*
Lower Sands Creek	3400	3/28	59	19.2	16.2	21.9
Mosquito Ridge	5110	4/3	82	31.0	33.2	40.2
Roland Summit	5200	4/3	91	37.4	36.6	40.1*
Sherwin	3200	3/30	38	14.0	6.6	13.8
Sunset	5600	4/3	91	32.0	30.5	36.2

LOWER SNAKE RIVER BASINPALOUSE RIVER

Crumarine Creek	3340	3/29	5	2.0	0.0	4.4
East Twin	4050	3/29	29	11.4	0.0	9.8

(b) 1963-77, 15 year period. #Not located directly on this drainage. \* Estimated 1963-77 15 year Average. (A) Aerial observation Water content estimated (SP) Pressure Pillow snow-water equivalent. (R) Radioactive Gage snow-water equivalent

## SNOW

DRAINAGE BASIN and or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1/</sup>
Howard Creek	3500	3/29	8	2.7	0.0	3.0*
Moscow Mountain	4360	3/29	55	20.0	9.7	18.0
West Twin	4250	3/30	15	5.7	0.0	9.1

## CLEARWATER RIVER

Breezy Saddle	5000	4/1	78	25.6	21.7	--
Buck Meadows	5650	4/6	69	23.6	25.9	31.2*
Cayuse Airstrip	3500	4/1	31	9.7	2.0	9.8
Coolwater Mountain	6200	4/6	98	32.0	33.3	33.0
Crater Meadows	6100	4/1	114	37.8	38.4	46.3
Crooked Fork	3600	3/29	28	11.0	10.0	14.1*
Fish Lake Airstrip	5650	4/6	101	35.7	34.2	41.2
Forty-nine Meadows	4840	4/1	76	24.7	19.8	32.5
Goat Lake	6500	4/1	132	40.4	44.7	49.3
#Granite Peak	6000	4/1	122	36.5	34.4	46.8
Hemlock Butte	5500	4/1	122	38.9	37.8	51.3
#Hoodoo Basin	Mont. 6000	4/3	130	46.1	47.7	53.6*
#Hoodoo Creek	Mont. 5900	4/3	128	45.1	43.5	49.9
Kit Carson Pasture	4950	4/6	22	9.6	--	9.1
Lolo Pass	5240	3/29	83	32.5	28.4	32.6
Lost Lake	6080	4/1	134	40.5	44.3	61.8*
Mountain Meadows	6300	4/6	55	18.0	20.8	26.1*
#Nez Perce Pass	Mont. 6575	4/6	45	18.6	19.2	19.0
Pierce Ranger Station	3170	3/28	27	9.4	3.0	10.6
Savage Pass	6170	3/29	78	27.1	26.8	28.6
Shanghai Summit	4600	4/1	73	23.7	17.9	27.2

## WEBB CREEK

Kruse Meadows	4800	3/30	36	11.9	--	--
Soldier Meadow	4640	3/30	26	10.1	--	--
Webb Creek	4720	3/30	36	12.7	--	--

## SALMON RIVER

Banner Summit	7040	4/3	63	21.3	--	--
Big Creek Summit	6600	3/28	80	27.5	41.2	37.5
Borah (A)	8250	3/30	20	4.6	5.1	--
#Boulder Creek	5500	3/29	49	19.6	15.7	25.1
Brundage Mountain	7560	3/29	98	35.5	51.5	48.6*
#Deadwood Summit	6750	4/3	84	31.6	48.3	47.5
Double Springs Pass (A)	8400	3/30	29	6.7	10.4	--
#Galena Summit	8780	3/27	60	16.1	23.3	25.2
#Gibbons Pass	Mont. 7100	3/29	60	22.0	25.9	24.8
Leatherman Pass	9800	3/30	58	19.4	21.6	26.1*
#Lemhi Pass	Mont. 7480	4/1	37	10.0	11.0	9.9
#Lemhi Ridge	Mont. 8100	4/1	41	10.6	12.9	10.9*

(b) 1963-77, 15 year period. # Not located directly on this drainage. <sup>1</sup> Estimated 1963-77 15 year average. (A) Aerial observation. Water content estimated. (SP) Pressure Pillow snow-water equivalent. (R) Radioactive Gage snow-water equivalent.



## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1/2</sup>
Mill Creek Summit	8800	4/2	51	15.6	20.4	24.1
Moose Creek	6200	3/30	43	15.8	18.4	17.1
Morgan Creek	7580	4/2	40	11.1	14.2	14.9
Perreau Meadows	8500	3/29	50	15.6	--	--
Redfish Lake Flat	6550	3/30	22	6.3	12.7	10.9*
#Rock Flat Summit	5340	3/29	50	15.8	19.3	19.6
#Secesh Summit	6520	4/1	77	28.7	35.2	37.2*
#Squaw Meadow	5900	4/1	77	29.0	35.5	37.4
Vienna Mine	8950	4/3	77	26.6	39.5	38.7*
Williams Creek Summit	7800	3/29	42	11.6	14.4	13.5

LEMHI RIVER

Above Gilmore	8250	3/30	33	8.4	8.1	10.6
Aspen-Hall Pass (A)	8110	3/30	33	7.6	8.9	10.6*
Copes Camp	7500	3/30	33	8.0	7.5	8.8
Hall Creek	7560	3/30	21	5.0	2.9	5.9*
Meadow Lake	9200	3/30	50	16.7	16.5	20.8
Schwartz Lake	8500	3/30	45	12.3	11.3	13.8

MIDDLE SNAKE RIVER BASIN - NORTHSIDELITTLE LOST RIVER

Fairview Guard Station	6750	3/30	17	5.0	0.0	3.2
Hilts Creek	8000	3/27	36	10.6	--	--
Lost Garfield	6600	3/30	10	3.2	0.0	3.0
Moonshine	7500	3/30	34	10.1	11.5	11.2
Sawmill Canyon	6900	3/30	25	7.4	6.8	8.1
Wet Creek Summit	7760	3/27	36	10.6	10.0	13.6

BIG LOST RIVER

Bear Canyon	7920	4/3	47	12.1	15.8	19.9
Copper Basin	7650	4/2	23	6.2	11.4	10.9
Dry Fork (A)	7340	3/28	33	11.6	--	--
Fishpole Lake	9350	4/3	51	14.8	25.4	21.1*
Iron Bog	7650	3/28	36	12.6	12.2	14.1
Leadbelt	6800	3/28	24	6.5	9.3	9.4
#Leatherman Pass	9800	3/30	58	19.4	21.6	26.1*
Lost-Wood Divide	7900	4/2	48	14.5	22.6	24.8
Stickney Mill	7450	4/2	28	6.2	8.0	10.6
White Knob	7700	3/26	29	8.7	9.6	9.8

FISH CREEK

Iron Mine Creek	6370	3/28	33	9.4	10.2	10.5
Telfer Ranch	6000	3/28	16	6.1	6.8	6.8

(b)1963-77, 15 year period. #Not located directly on this drainage. \* Estimated 1963-77 15 year average. (A) Aerial observation Water content estimated (SP) Pressure Pillon snow-water equivalent. (R) Radioactive Gage snow-water equivalent

## SNOW

DRAINAGE BASIN and or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average

LITTLE WOOD RIVER

#Bear Canyon	7920	4/3	47	12.1	15.8	19.9
Garfield Ranger Station	6560	3/30	24	7.4	11.7	10.2
Muldoon	6300	3/30	20	6.2	6.4	7.1
Swede Peak	7640	3/30	43	12.4	18.6	18.1

BIG WOOD RIVER

Camas Creeks Divide	5720	3/31	15	4.8	5.6	8.8*
Chimney Creek	6400	3/31	26	9.1	--	--
#Couch Summit	6850	3/30	40	13.0	22.0	18.7
Dollarhide Summit	8400	4/3	59	18.0	32.0	25.1
Galena	7300	3/27	44	13.1	20.7	19.5
Galena Summit	8780	3/27	60	16.1	23.3	25.2
Graham Ranch	6280	3/27	36	11.1	13.2	14.4
Hyndman Creek	7440	4/3	35	10.6	--	--
#Lost-Wood Divide	7900	4/2	48	14.5	22.6	24.8
Mascot Mine	7760	4/3	41	11.9	16.4	15.5
Mount Baldy	9000	3/30	52	14.8	24.3	21.4
Soldier Ranger Station	6100	3/30	21	7.3	13.6	10.3
#Vienna Mine	8950	4/3	77	26.6	39.5	38.7*

CANYON CREEK

Bennett Mountain	6650	3/31	44	14.8	24.8	17.5
#Camas Creeks Divide	5720	3/31	15	4.8	5.6	8.8*
Little Camas Flat	4950	3/31	0	0.0	3.0	4.0

BOISE RIVER

Atlanta Summit	7500	4/3	74	25.2	38.2	36.2
Bad Bear	5500	3/29	27	9.9	12.4	13.9
#Bennett Mountain	6650	3/31	44	14.8	24.8	17.5
#Bogus Basin	6340	3/39	55	20.2	24.5	24.5
Bogus Basin Road	5520	3/29	0	0.0	0.0	2.2
#Camas Creeks Divide	5720	3/31	15	4.8	5.6	8.8*
Couch Summit	6850	3/30	40	13.0	22.0	18.7
Deadman Gulch	5600	4/1	37	14.2	16.2	16.8*
#Dollarhide Summit	8400	4/3	59	18.0	32.0	25.1
Graham Guard Station	5690	4/3	31	11.0	18.1	--
Jackson Peak	7070	4/3	67	22.8	34.8	33.1
#Little Camas Flat	4950	3/31	0	0.0	3.0	4.0
Moore's Creek Summit	6100	3/29	64	23.8	34.2	33.6
Prairie	4800	3/29	0	0.0	0.0	3.4
Road Creek	5550	4/3	0	0.0	7.8	9.2*
#Soldier Ranger Station	6100	3/30	21	7.3	13.6	10.3
Trinity Mountain	7780	4/3	82	30.2	46.7	43.2
#Vienna Mine	8950	4/3	77	26.6	39.5	38.7*

(b) 1963-77, 15 year period. # Not located directly on this drainage. \* Estimated 1963-77 15 year average. (A) Aerial observation. Water content estimated. (SP) Pressure Pylon snow-water equivalent. (R) Radiometric Gage snow-water equivalent.

## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1</sup> / <sub>2</sub>

PAYETTE RIVER

Banner Summit	7040	4/3	63	21.3	--	--
#Big Creek Summit	6600	3/28	80	27.5	41.2	37.5
Bogus Basin	6340	3/29	55	20.2	24.5	24.5
#Brundage Mountain	7560	3/29	98	35.5	51.5	48.6*
Cozy Cove	5400	4/3	30	11.0	13.6	16.6
Crawford Ranger Station	4800	3/29	9	3.4	6.2	6.1
#Deadman Gulch	5600	4/1	37	14.2	16.2	16.8*
Deadwood Airstrip	5440	4/3	30	11.4	13.8	15.6
Deadwood Summit	7000	4/3	84	31.6	48.3	47.5
#Jackson Peak	7070	4/3	67	22.8	34.8	33.1
Lake Fork	6000	4/1	44	15.3	16.8	16.9
Rock Flat Summit	5340	3/29	50	15.8	19.3	19.6
Secesh Summit	6520	4/1	77	28.7	35.2	37.2*
Squaw Meadow	5900	4/1	77	29.0	35.5	37.4
Tripod Summit	5200	3/29	39	14.7	18.2	19.7

WEISER RIVER

Boulder Creek	5500	3/29	49	19.6	15.7	25.1
Placer Creek	6000	3/29	41	17.7	17.2	18.8

MANN CREEK

Mann Creek	6080	3/28	60	23.2	26.8	27.7*
Robinson Creek Ridge	6220	3/28	46	19.0	21.8	21.3*
Sturgill Ridge	6680	3/28	61	25.7	29.2	32.6*
Thorson Cabin	5320	3/28	38	13.4	15.2	14.3*

MIDDLE SNAKE RIVER BASIN - SOUTHSIDERAFT RIVER

Boy Scout Camp	7750	4/6	43	16.0	16.3	15.8
Clear Creek Meadows	Utah 9050	3/29	72	20.4	26.2	23.6
George Peak	Utah 9000	3/29	75	21.2	31.0	--
Howell Canyon	7980	3/29	52	19.3	27.1	26.1
Indian Grove	7560	3/29	37	13.3	--	--
Logger Springs	8100	4/6	52	17.0	--	--
One Mile Summit	Utah 7330	3/29	22	5.9	6.1	7.6
Sheep Hollow	6200	3/29	12	4.0	2.8	5.2
Sublett	6000	3/29	30	10.5	7.8	11.1

GOOSE CREEK

Badger Gulch	6660	3/29	42	14.6	12.7	13.1
Bostetter Ranger Station	7500	3/29	53	19.6	18.4	20.2
Vi Pont	Utah 7670	3/29	46	16.5	16.0	15.1*

(b) 1963-77, 15 year period. # Not located directly on this drainage. <sup>1</sup> Estimated 1963-77 15 year Average. (A) Aerial observation. Water content estimated. (SP) Pressure Pillow snow-water equivalent. (R) Radioactive Gage snow-water equivalent.



## SNOW

DRAINAGE BASIN and or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1/</sup>

SALMON FALLS CREEK

#Bear Creek	Nev.	7800	3/30	64	19.2	23.4	21.3
Cedar Creek		7000	4/8	28	9.9	7.7	10.0
Deadline		6900	3/30	62	21.8	20.1	22.3
#Fox Creek	Nev.	6800	3/30	37	9.2	8.7	9.9*
Goat Creek	Nev.	8800	3/30	52	14.1	19.6	18.6
#Hummingbird Springs	Nev.	8940	3/30	65	18.0	25.9	23.7
Magic Mountain		6700	3/30	54	19.4	19.4	19.2
#Pole Creek Rgr. Sta.	Nev.	8330	3/30	51	14.3	19.6	22.5
Shoshone Basin		5740	3/30	31	10.8	0.0	5.1*
Wilson Creek		7500	4/8	36	10.0	12.7	11.9

BRUNEAU RIVER

Bear Creek	Nev.	7800	3/30	64	19.2	23.4	21.3
Fox Creek	Nev.	6800	3/30	37	9.2	8.7	9.9*
Hummingbird Springs	Nev.	8940	3/30	65	18.0	25.9	23.7
Pole Creek Rgr. Sta.	Nev.	8330	3/30	51	14.3	19.6	22.5
#Seventy-six Creek	Nev.	7100	3/30	40	12.3	11.2	11.4

OWYHEE RIVER

Antelope Ridge		6150	3/31	8	3.4	4.3	6.2
Battle Creek (A)		5700	4/4	0	0.0	1.5	1.7
#Bear Creek	Nev.	7800	3/30	64	19.2	23.4	21.3
Bull Basin (A)		5600	4/4	0	0.0	0.0	0.4
#Fox Creek	Nev.	6800	3/30	37	9.2	8.7	9.9*
Hyde Pasture (A)		5800	4/4	0	0.0	1.5	3.2
Mud Flat		5720	3/31	16	6.0	3.5	4.9
Red Canyon (A)		6650	4/4	25	9.5	6.4	5.0
#Seventy-six Creek	Nev.	7100	3/30	40	12.3	11.2	11.4
Silver City		6400	3/31	38	14.4	14.3	15.4
South Mountain		6340	3/31	39	15.8	11.0	13.0
Triangle (A)		5150		Discontinued		0.0	0.1
Vaught Ranch (A)		5950	4/4	0	0.0	1.5	1.7*
War Eagle (A)		7700	4/4	75	28.5	28.8	25.1*

UPPER SNAKE RIVER BASINCAMAS-BEAVER CREEKS

Blue Ledge Mine		6700	3/29	46	15.2	18.1	17.8
Camp Creek		6800	3/29	35	9.4	8.3	12.0
Kilgore		6200	3/29	35	12.4	13.8	11.5

(b) 1963-77, 15 year period. # Not located directly on this drainage. <sup>1</sup> Estimated 1963-77 15 year average. (A) Aerial observation. Water content estimated. (SP) Pressure Pillon snow-water equivalent. (R) Radioactive Gage snow-water equivalent.

## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1/2</sup>

HENRYS FORK RIVER

Big Springs		6400	3/30	59	21.0	22.6	22.0
Black Canyon		7850	3/29	96	35.6	--	35.4*
Black Moose		8130	3/29	97	39.6	--	40.3*
Grassy Lake	Wyo.	7230	3/29	101	38.9	43.1	36.6
Island Park		6290	3/31	54	19.8	18.2	17.2
Latham Springs		7650	3/29	88	34.6	--	34.8
Lucky Dog		6900	3/29	69	26.2	--	26.0
Sawtell Mountain		8720	3/30	103	35.6	37.8	35.1*
Targhee Pass		7000	3/30	59	16.6	15.4	17.1*
Valley View		6740	3/30	63	19.5	15.0	18.4
White Elephant		7700	3/30	83	24.4	30.0	25.6*

TETON RIVER

Darby Canyon	Wyo.	8250	4/5	71	23.6	25.8	24.0*
Freds Mountain	Wyo.	8150	4/5	73	23.8	28.5	20.7*
Garns Mountain		8300	4/5	127	48.4	38.2	38.8*
Indian Meadows	Wyo.	8240	4/5	100	36.8	42.3	37.4*
Jackpine Creek	Wyo.	7350	4/5	67	20.6	24.3	23.0*
McRenolds Reservoir		6800	4/5	63	22.6	23.3	20.7*
Miles Creek	Wyo.	7300	4/5	42	14.2	16.2	14.1*
Phillips Bench	Wyo.	8200	3/26	85	33.0	40.7	30.6*
Pine Creek Pass		6750	4/5	55	18.8	19.9	18.3
State Line		6650	4/5	51	18.4	15.0	15.3
Teton Pass W.S.	Wyo.	8400	3/26	78	30.4	33.2	27.7*

WILLOW CREEK

Aspen Grove		6500	3/29	43	13.5	13.5	12.1*
Birch Creek		6800	3/29	39	13.0	7.7	11.4*
Blue Ridge		6800	3/29	45	17.3	17.0	--
Bone		6200	3/29	25	8.8	5.8	7.2*
Brockman Station		6430	3/29	36	13.6	10.5	--
Hell Creek		7100	3/29	44	16.4	14.5	--
Mud Creek		7150	3/29	45	16.6	18.5	--
Sheep Mountain		6570	3/29	39	14.0	12.4	13.9*
Tex Creek		6650	3/29	37	12.0	8.5	9.7*

BLACKFOOT RIVER

Austin Bros. Ranch		6400	3/29	27	9.4	3.5	8.9
Slug Creek Divide		7230	3/28	49	18.0	21.0	18.0
Somsen Ranch		7000	3/29	52	17.8	18.9	15.1

(b)1963-77, 15 year period. #Not located directly on this drainage. \* Estimated 1963-77 15 year average. (A) Aerial observation. Water content estimated. (SP) Pressure Pillion snow-water equivalent. (R) Radioactive Gage snow-water equivalent

## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>1/</sup>
<u>PORTNEUF RIVER</u>						
Dempsey Creek	6100	4/1	43	15.4	14.2	13.0
Lower Pebble	5800	4/1	48	17.5	13.9	13.3*
Mink Creek	6300	3/31	56	19.8	14.8	18.3
Pebble Creek	6550	4/1	48	17.4	15.5	16.7
<u>TOPONCE CREEK</u>						
Cold Springs	7000	4/5	62	19.8	--	--
Putnam	7200	4/5	56	20.6	--	--
Toponce	6350	4/5	34	12.6	--	--
<u>GREAT BASIN</u>						
<u>BEAR RIVER</u>						
Emigrant Summit	7380	3/28	68	23.7	29.5	26.0
Emigration Canyon	6500	3/28	34	11.3	10.8	11.1
<u>MONTPELIER CREEK</u>						
Giveout	6840	3/27	41	16.2	16.7	13.0
Little Beaver	6970	3/27	44	16.8	20.8	16.3
Lower Home Canyon	7640	3/27	40	14.9	18.4	14.9*
Montpelier Creek	6570	3/27	26	11.6	10.6	8.4
Upper Home Canyon	8560	3/27	60	22.6	30.9	25.1*
Whiskey Flat	6960	3/27	29	11.2	12.5	9.4
<u>MINK CREEK</u>						
Christensen Ranch	5400	3/27	26	9.6	5.0	7.6
Dry Basin	7900	4/5	84	30.0	36.9	30.2
#Emigrant Summit	7380	3/28	68	23.7	29.5	26.0
Horseshoe Basin	8000	4/5	76	29.8	35.4	25.6
Liberty Spring	8600	4/5	110	40.4	50.4	10.9*
Strawberry Creek	5800	3/28	36	13.0	6.7	10.2
Strawberry Mink Divide	6800	3/27	60	23.8	27.0	21.9
<u>CUB RIVER</u>						
Cub River Rgr. Sta.	5400	4/5	24	9.8	3.2	6.9
#Franklin Basin	8000	4/5	73	27.8	33.1	28.2
Willow Flat	6100	4/5	47	19.4	15.2	14.8
Worm Creek	6660	4/5	51	21.1	22.1	--

(b) 1963-77, 15 year period. # Not located directly on this drainage. \* Estimated 1963-77 15 year average. (A) Aerial observation. Water content estimated. (SP) Pressure Pillow snow-water equivalent. (K) Radioactive Gage snow-water equivalent.



## SNOW

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average <sup>b</sup>

MALAD RIVER













Cliff Canyon	7200	3/27	31	11.0	9.5	--
Daniels Creek	6400	3/27	20	6.9	3.2	--
Dry Creek Flat	6480	3/27	17	7.6	1.7	5.3
Lower Elkhorn	7000	3/27	31	12.2	15.5	14.0*
Oxford Mountain	6800	3/27	32	12.5	7.8	9.5
Upper Elkhorn	7100	3/27	57	19.2	25.5	19.5*

(b) 1963-77, 15 year period. # Not located directly on this drainage. \* Estimated 1963-77 15 year Average. (V) Aerial observation Water content estimated (SP) Pressure Pillow snow-water equivalent. (R) Radioactive Gage snow-water equivalent.



This map illustrates the Snake River Plain region in Idaho, highlighting county boundaries and major geographical features. The map includes labels for counties such as Bonner, Benewah, Latah, and Shoshone. Key locations like Moscow, Coeur d'Alene, and Kootenai are marked. The Snake River is shown flowing through the region, with various tributaries and reservoirs. The map also indicates the location of the Snake River Plain and the surrounding mountain ranges.



- |   |                                      |
|---|--------------------------------------|
|   | Watershed Boundary                   |
|   | Soil Conservation District Bdry      |
|   | County Boundary                      |
|  | Forecast Point                       |
|  | Snow Course                          |
|  | Snow Course and Snow Pressure Pillow |
|  | Snow Pressure Pillow                 |
|  | Aerial Snow Depth Gage               |
|  | Soil Maisture Stotion                |
|  | Temperature Gage                     |
|  | Precipitation Gage                   |
|  | Radio Telemetry                      |





# INDEX to SNOW COURSES

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## UPPER COLUMBIA BASIN

### KOOTENAI RIVER

16A7	I	Halverson Creek	3	57N	3E	4850
16A1	I	Smith Creek	29	64N	3W	4800

### PEND OREILLE - PRIEST RIVER

16A8	I	Bear Mountain	9	57N	3E	5400
16A2	I	Benton Meadow	27	58N	4W	2370
16A3	I	Benton Spring	30	58N	3W	4900
16A6	I	Schweitzer Bowl	20	58N	2W	4500
16A5	I	Schweitzer Ridge	19	58N	2W	6200

### HAYDEN CREEK

16B8	I	Chilco Ridge	15	52N	2W	3650
16B7	I	Conie Ridge	22	52N	2W	3900
16B9	I	Corner Creek	22	52N	2W	3150
16B6	I	Sage Creek Saddle	10	52N	2W	4100

### SPOKANE RIVER

15B8SP	I	Above Burke	11	48N	5E	4100
15B7	I	Above Roland	35	47N	6E	4350
15B6	I	Below Roland	3	46N	6E	3840
16B2	I	Copper Ridge	6	50N	1W	4800
16B3M	I	Fourth of July Summit	6	49N	1W	3200
15B13A	I	Granite Peak	3	42N	8E	6000
16B5A	I	Kellogg Peak	19	48N	3E	5560
15B2MSP	I	Lookout	4	47N	6E	5120
16B1	I	Lower Sands Creek	32	51N	1W	3400
15B4ASP	I	Medicine Ridge	24	43N	10E	6160
16A4ASP	I	Mosquito Ridge	5	54N	2E	5110
15B5A	I	Roland Summit	26	47N	6E	5200
16C1SP	I	Sherwin	28	42N	1E	3200
15B9ASP	I	Sunset	33	49N	5E	5600

## LOWER SNAKE BASIN

### PALOUSE RIVER

16C6	I	Crumarine Creek	24	40N	5W	3340
16C3	I	East Twin	13	40N	5W	4050
16C5	I	Howard Creek	14	40N	5W	3500
16C2	I	Moscow Mountain	18	40N	4W	4400
16C4P	I	West Twin	14	40N	5W	4250

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## CLEARWATER RIVER

15D5MAP	I	Buck Meadows	26	31N	8E	5650
15C3A	I	Cayuse Airstrip	4	38N	11E	3700
15C7S	I	Coolwater Mountain	32	33N	8E	6200
16C16	I	Cottonwood Butte	33	32N	1W	5140
15C9A	I	Crater Meadows	2	37N	9E	6100
14C10	I	Crooked Fork	27	37N	14E	3800
16C15A	I	Elk Butte	6	40N	3E	5550
15C2AP	I	Fish Lake Airstrip	35	35N	11E	5000
15B3ASP	I	Forty-nine Meadows	6	43N	5E	4880
14C9A	I	Goat Lake	4	38N	13E	6600
16C6AP	I	Hemlock Butte	7	36N	7E	5500
15C8S	M	Hoodoo Basin	17	14N	27W	6000
15C1	M	Hoodoo Creek	16	14N	27W	5900
14D3	I	Kit Carson Pasture	4	27N	16E	5020
14C5M	I	Lolo Pass	16	38N	15E	5240
15B14AS	I	Lost Lake	16	43N	4E	6000
16D7	I	Lower Snowhaven	9	29N	3E	5300
15D6AP	I	Mountain Meadows	9	27N	10E	6300
14D1	M	Nez Perce Pass	25	1S	24W	6575
15D4S	I	Orogrande Mountain	24	27N	6E	7800
15C5	I	Pierce Ranger Station	2	36N	5E	3170
14C6	I	Powell Ranger Station	33	37N	14E	4230
14C4	I	Savage Pass	18	36N	15E	6170
15C4A	I	Shanghai Summit	7	37N	6E	4600
16D4	I	Upper Snowhaven	8 & 9	29N	3E	5600

## SALMON RIVER


13E19MA	I	Above Gilmore	13	13N	26E	8250
13E21A	I	Aspen-Hall Pass	6	16N	28E	8110
15E2	I	Big Creek Summit	24	15N	5E	6600
13E8A	1	Borah	21	10N	23E	8250
16D6	1	Brundage Mountain	6	19N	3E	7560
13E17A	1	Copes Camp	36	18N	22E	7500
13E25A	I	Double Springs Pass	3	10N	22E	8400
13D2	M	Gibbons Pass	4	2S	19W	7100
13E20A	I	Hall Creek	1	16N	27E	7560
13E24A	I	Leatherman Pass	20	9N	23E	9800
13E1	M	Lemhi Pass	9	10S	15W	7480
13E23	M	Lemhi Ridge	4	10S	15W	8100
13E18MA	I	Meadow Lake	25	13N	26E	9200
14E1MAP	1	Mill Creek Summit	8	13N	17E	8800
13D16	I	Moose Creek	14	27N	21E	6200
14E4	1	Morgan Creek	32	18N	19E	7580
13E26	1	Morse Creek Sawmill	8	15N	23E	7120
14E7	1	Redfish Lake Flat	35	10N	13E	6550
13E16A	I	Schwartz Lake	34	18N	22E	8500
14E3A	1	Twin Peaks	28	15N	17E	9170
14F4AP	1	Vienna Mine	1	5N	13E	8950
14D4	1	Williams Creek Summit	34	21N	20E	7800

## LEGEND

### Numbering System (example)

10J7	SNOW COURSE ONLY
10J7P	SNOW COURSE AND PRECIPITATION GAGE.
10J7M	SNOW COURSE AND SOIL MOISTURE STATION.
10J7A	SNOW COURSE AND AERIAL MARKER.
10J7s	PRESSURE PILLOW ONLY.
10J7S	SNOW COURSE AND PRESSURE PILLOW.
10J7MA	SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER.
10J7MP	SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE.
10J7m	SOIL MOISTURE STATION ONLY
10J7a	AERIAL MARKER ONLY.
10J7p	STORAGE PRECIPITATION GAGE ONLY.
10J7R	RADIOACTIVE GAGE

# MIDDLE SNAKE RIVER BASIN NORTHSIDE



## LEGEND

- Watershed Boundary
- Soil Conservation District Bdry
- County Boundary
- ▲ Forecast Point
- Snow Course
- Snow Course and Snow Pressure Pillow
- Snow Pressure Pillow
- † Aerial Snow Depth Gage
- ▲ Soil Moisture Station
- Temperature Gage
- ◇ Precipitation Gage
- ⚡ Radio Telemetry

# INDEX to SNOW COURSES

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## MIDDLE SNAKE RIVER BASIN NORTHSIDE

### LITTLE LOST RIVER

13E5M	I	Fairview Guard Station	27	12N	26E	6750
13E3	I	Lost-Garfield	3	11N	26E	6600
13E6	I	Moonshine	31	13N	26E	7500
13E4	I	Sawmill Canyon	17	12N	26E	6900
13E7MP	I	Wet Creek Summit	15	8N	25E	7760

### BIG LOST RIVER

13F3	I	Bear Canyon	22	5N	21E	7920
13F2A	I	Copper Basin	25	6N	21E	7650
13F3A	I	Fishpole Lake	28	4N	22E	9350
13F11	I	Iron Bog	23	4N	22E	7650
13F12	I	Leadbelt	34	4N	23E	6800
14F3A	I	Lost Wood Divide	25	6N	18E	7900
14F2A	I	Stickney Mill	9	6N	19E	7450
13F1	I	White Knob	25	7N	23E	7700

### BIG WOOD RIVER

15F9	I	Camas Creeks Divide	11	2S	9E	5720
14F8	I	Dollarhide Summit	9	3N	15E	8400
14F1M	I	Galena	2	6N	15E	7440
14F12MPS	I	Galena Summit	5	6N	15E	8780
14F5	I	Graham Ranch	10	5N	17E	6280
14F7	I	Mascot Mine	8	4N	20E	7760
14F9	I	Mount Baldy	26	4N	17E	9000
14F11	I	Soldier Ranger Station	19	2N	14E	6100

### LITTLE WOOD RIVER

13F4	I	Garfield Ranger Station	11	3N	21E	6560
13F5	I	Muldoon	25	3N	21E	6300
13F9R	I	Swede Peak	4	3N	21E	7640

### FISH CREEK

13F10	I	Iron Mine Creek	32	3N	23E	6370
13F6	I	Telfer Ranch	12	2N	22E	6000

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

### BOISE RIVER

15F4APS	I	Atlanta Summit	23	5N	10E	7500
15F2	I	Bad Bear	35	7N	6E	5500
16F4	I	Bogus Basin Road	32	5N	3E	5520
14F10	I	Couch Summit	9	2N	14E	6850
16F1	I	Deadman Gulch	29	7N	4E	5600
15F14PSR	I	Graham Guard Station	9	7N	10E	5690
15E9AP	I	Jackson Peak	7	8N	9E	7070
15F1MPSR	I	Moore's Creek Summit	19	7N	7E	6100
15F6P	I	Prairie	13	2N	7E	4800
15F3A	I	Road Creek	5	5N	8E	5550
15FAPS	I	Trinity Mountain	6	3N	9E	7780

### CANYON CREEK

15F7	I	Bennett Mountain	7	2S	9E	6650
15F12	I	Little Camas Flat	21	1S	9E	4950

### PAYETTE RIVER

16F2PS	I	Bogus Basin	16	5N	3E	6340
15E8PSR	I	Cozy Cove	17	11N	7E	5400
15E3	I	Crawford Ranger Station	21	14N	4E	4800
15E10	I	Deadwood Airstrip	8	11N	7E	5440
15E4AS	I	Deadwood Summit	23	14N	7E	6800
16E4	I	High Valley Summit	9	10N	2E	5170
15E1	I	Lake Fork	3	18N	4E	6000
16E1	I	Rock Flat Summit	1	18N	2E	5340
15D1	I	Secesh Summit	4	21N	4E	6520
15D2	I	Squaw Meadow	17	21N	4E	5900
16E3	I	Tripod Summit	17	11N	3E	5200

### WEISER RIVER

16D1P	I	Boulder Creek	16	20N	1W	5500
16E2	I	Placer Creek	15 & 16	17N	3W	6000

### MANN CREEK

16E9	I	Mann Creek	20	15N	5W	6080
16E8	I	Sturgill Ridge	28	15N	5W	6680
17E1	I	Robinson Creek Ridge	2	14N	6W	6220
17E2	I	Thorson Cabin	12	14N	6W	5320



## LEGEND

### Numbering System (example)

10J7	SNOW COURSE ONLY.
10J7P	SNOW COURSE AND PRECIPITATION GAGE.
10J7M	SNOW COURSE AND SOIL MOISTURE STATION.
10J7A	SNOW COURSE AND AERIAL MARKER.
10J7s	PRESSURE PILLOW ONLY.
10J7S	SNOW COURSE AND PRESSURE PILLOW.
10J7MA	SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER.
10J7MP	SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE.
10J7m	SOIL MOISTURE STATION ONLY
10J7a	AERIAL MARKER ONLY.
10J7p	STORAGE PRECIPITATION GAGE ONLY.
10J7R	RADIOACTIVE GAGE




# MIDDLE SNAKE RIVER BASIN SOUTHSIDE



## LEGEND

- Watershed Boundary
- Soil Conservation District Bdry
- County Boundary
- ▲ Forecast Point
- Snow Course
- ⊙ Snow Course and Snow Pressure Pillow
- Snow Pressure Pillow
- † Aerial Snow Depth Gage
- ⬆ Soil Moisture Station
- ⌈ Temperature Gage
- ⌋ Precipitation Gage
- ⚡ Radio Telemetry

## WATERSHED LOCATIONS



# INDEX to SNOW COURSES

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## MIDDLE SNAKE RIVER BASIN SOUTHSIDE

### RAFT RIVER

13G2AP	I	Boy Scout Camp	8	14S	24E	7760
13H2A	U	Clear Creek Meadows	26	14N	14W	9050
13H4SP	U	George Peak	4	13N	14W	9000
13G1MP	I	Howell Canyon	2	13S	24E	8000
13H1P	U	One Mile Summit	19	14N	14W	7330
13G5M	I	Sheep Hollow	4	14S	24E	6200
12G8M	I	Sublett	3	12S	30E	6000
12G9A	I	Summit Springs	15	13S	30E	6400

### GOOSE - TRAPPER CREEK

14G3M	I	Badger Gulch	24	15S	19E	6660
14G1AP	I	Bostetter Ranger Station	35	14S	19E	7500
13H3AP	U	Vi Pont	17	14N	17W	7670

### SALMON FALLS CREEK

14G5A	I	Cedar Creek	25	15S	13E	7000
14G4M	I	Deadline	25	14S	18E	6900
15H13A	N	Goat Creek	31	46N	60E	8800
14G2	I	Magic Mountain	14	14S	18E	6700
15H18A	N	Red Point	15	47N	61E	7940
14G6	I	Shoshone Basin	24	14S	17E	5740
15G2A	I	Wilson Creek	24	16S	12E	7500

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## BRUNEAU RIVER

15H1MAP	N	Bear Creek	31	46N	58E	7800
15H2	N	Fox Creek	33	46N	58E	6800
15H15A	N	Hummingbird Springs	6	45N	60E	8950
15H14MP	N	Pole Creek Ranger Station	13	46N	59E	8330

## OWYHEE RIVER

16G6	I	Antelope Ridge	20	8S	1E	5900
18F5	O	Barren Valley	26	17S	38E	4200
16G9a	I	Battle Creek	10	11S	1E	5700
15H4M	N	Big Bend	30	45N	56E	6700
16G10a	I	Bull Basin	19	12S	5W	5600
15H7	N	Fry Canyon	31	43N	54E	6700
15H5	N	Gold Creek	31	45N	56E	6600
16G5a	I	Hyde Pasture	SE 1/4 31	8S	2W	5800
16H4	N	Jacks Peak	28	42N	53E	8420
16H5	N	Laurel Draw	20	45N	53E	6700
17G4a	O	Louse Canyon	27	40S	44E	6440
16H1M	N	Lower Jack Creek	13	42N	53E	6800
16G7MP	I	Mud Flat	34	9S	2W	5500
17G5a	O	Oregon Canyon	9	40S	40E	6950
17H6a	N	Quinn Ridge	9	47N	41E	6300
16G11ap	I	Red Canyon	32	11S	4W	6650
15H6M	N	Rodeo Flat	36	43N	53E	6800
16F3AP	I	Silver City	6	5S	3W	6400
16G1PSR	I	South Mountain	35	7S	5W	6340
16F6a	I	Succor Creek	25	3S	5W	6100
15H9M	N	Taylor Canyon	35	39N	53E	6200
16G4a	I	Triangle	N 1/2 35	7S	3W	5150
16H2	N	Upper Jack Creek	9	42N	53E	7250
16G12a	I	Vaught Ranch	10	11S	1W	5950
16G13a	I	War Eagle	20	5S	3W	7700

## LEGEND


### Numbering System (example)

10J7	SNOW COURSE ONLY.
10J7P	SNOW COURSE AND PRECIPITATION GAGE.
10J7M	SNOW COURSE AND SOIL MOISTURE STATION.
10J7A	SNOW COURSE AND AERIAL MARKER.
10J7s	PRESSURE PILLOW ONLY.
10J7S	SNOW COURSE AND PRESSURE PILLOW.
10J7MA	SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER.
10J7MP	SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE.
10J7m	SOIL MOISTURE STATION ONLY
10J7a	AERIAL MARKER ONLY.
10J7p	STORAGE PRECIPITATION GAGE ONLY.
10J7R	RADIOACTIVE GAGE

# UPPER SNAKE RIVER BASIN



25 0 25 50  
SCALE IN MILES




## LEGEND

- Watershed Boundary
- Soil Conservation District Bdry.
- County Boundary
- ▲ Forecast Point

- Snow Course
- ⊙ Snow Course and Snow Pressure Pillow
- Snow Pressure Pillow
- † Aerial Snow Depth Gage
- ▲ Soil Moisture Station
- ⊥ Temperature Gage
- ⊥ Precipitation Gage
- ⚡ Radio Telemetry

## WATERSHED LOCATIONS





# INDEX to SNOW COURSES

NO.	STATE	NAME	SEC. LAT.	TWP. OR AND	RGE. LONG.	ELEV.
-----	-------	------	--------------	-------------------	---------------	-------

## UPPER SNAKE RIVER BASIN

### SNAKE RIVER - WYOMING

10G4	Wy	Afton Ranger Station	30	32N	118W	6200
10F1	Wy	Arizona	3	46N	115W	6850
10E8	Wy	Aster Creek	44° 17'	110° 38'		7700
10F2	Wy	Base Camp	20	46N	113W	6900
10F7	Wy	Blackrock	4	44N	111W	8600
10G2A	Wy	Blind Bull	6	34N	115W	8750
10F14	Wy	Bryan Flat	9	38N	115W	6250
10G7	Wy	CCC Camp	9	29N	118W	7500
10G5A	Wy	Cottonwood Lake	25	31N	118W	7500
10E10	Wy	Coulter Creek	44° 09'	110° 33'		7600
10F17MP	Wy	East Rim Divide #2	32	37N	111W	7950
10F6	Wy	Four Mile Meadows	35	45N	112W	7770
10E13	Wy	Glade Creek	12	48N	116W	7200
10F18	Wy	Greys Boundary	33	37N	118W	5800
10F19	Wy	Gros Ventre Summit	36	40N	111W	8750
10G3	Wy	Grover Park Divide	27	33N	118W	7500
10E14	Wy	Huckleberry Divide	32	48N	115W	7300
10E9PS	Wy	Lewis Lake Divide	44° 13'	110° 40'		7900
10F4MP	Wy	Moran	8 & 17	45N	114W	6800
10F3	Wy	Moran Bay	14	45N	116W	6800
10G6	Wy	Poison Meadows	29	30N	116W	8500
10G8P	Wy	Salt River Summit	32	29N	118W	7900
10E12MP	Wy	Snake River Station	9	48N	115W	6780
10F20M	Wy	Snow King Mountain #3	4	40N	117W	7600
10E7	Wy	Thumb Divide	44° 22'	110° 35'		7900
10F9MP	Wy	Togwotee Pass	29	44N	110W	9600
10F5	Wy	Turpin Meadows	14	45N	112W	6930
10G1A	Wy	Young's Ranch	26	34N	116W	6530

### HENRYS FORK RIVER

11E9	I	Big Springs	4	13N	44E	6400
11E18	I	Black Canyon	11	13N	45E	7850
11E19	I	Black Moose	33	14N	45E	8125
10E15	Wy	Grassy Lake	6	48N	117W	7230
11E10M	I	Island Park	28	13N	43E	6290
11E16	I	Latham Springs	9	13N	45E	7650
11E14	I	Lucky Dog	2	13N	45E	6900
11E32	I	Sawtell Mountain	7	14N	43E	8720
11E34	I	Targhee Pass	32	16N	44E	7000
11E3M	I	Valley View	7	15N	44E	6740
11E36	I	White Elephant	17	14N	43E	7700

NO.	STATE	NAME	SEC. LAT.	TWP. OR AND	RGE. LONG.	ELEV.
-----	-------	------	--------------	-------------------	---------------	-------

### TETON RIVER

10F21	Wy	Darby Canyon	28	43N	118W	8250
10F22	Wy	Freds Mountain	12	44N	118W	8150
11F13	I	Garns Mountain	20	4N	44E	8300
10F25	Wy	Indian Meadows	31	46N	117W	8240
10F26	Wy	Jackpine Creek	15	46N	118W	7350
11F12	I	McRenolds Reservoir	5	7N	46E	6800
10F27	Wy	Miles Creek	13	44N	118W	7300
11F2M	I	Pine Creek Pass	24	3N	44E	6750
11F1M	I	State Line	32	3N	46E	6650
10F13	Wy	Teton Pass W. S.	24	41N	118W	8400

### CAMAS - BEAVER CREEK

11E11	I	Blue Ledge Mine	27	13N	38E	6700
12E3	I	Camp Creek	21	13N	36E	6800
11E12	I	Kilgore	6	12N	39E	6200

### MEDICINE LODGE CREEK

12E4	I	Irving Creek	20	13N	33E	7035
12E5	I	Webber Creek	23	12N	32E	6700

### WILLOW CREEK

11F10	I	Aspen Grove	36	2N	41E	6500
11F3	I	Birch Creek	36	2N	41E	6800
11F17I	I	Blue Ridge	35	2S	39E	6800
11F8	I	Bone	29	1S	40E	6250
11F16	I	Brockman Station	19	2S	43E	6430
11F15	I	Hell Creek	27	1S	42E	7100
11F14	I	Mud Creek	3	2S	39E	7150
11F11R	I	Sheep Mountain	30	2S	41E	6570
11F5R	I	Tex Creek	36	1N	42E	6650

### SAND CREEK

11F6	I	Henry Creek	7	1S	39E	5650
------	---	-------------	---	----	-----	------

### BLACKFOOT RIVER

11G3	I	Austin Brothers Ranch	28	7S	43E	6400
11G5PS	I	Slug Creek Divide	15	10S	44E	7225
11G1MS	I	Somsen Ranch	25	5S	43E	7000
11G29	I	Ten Mile Pass	8	8S	41E	6250

### PORTNEUF RIVER


12G5	I	Dempsey Creek	18	10S	38E	6100
12G6M	I	Lower Pebble	7	8S	38E	5800
12G1	I	Mink Creek	33	7S	34E	6300
12G2M	I	Pebble Creek	34	7S	37E	6550

## LEGEND

### Numbering System (example)

10J7	SNOW COURSE ONLY.
10J7P	SNOW COURSE AND PRECIPITATION GAGE.
10J7M	SNOW COURSE AND SOIL MOISTURE STATION.
10J7A	SNOW COURSE AND AERIAL MARKER.
10J7s	PRESSURE PILLOW ONLY.
10J7S	SNOW COURSE AND PRESSURE PILLOW.
10J7MA	SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER.
10J7MP	SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE.
10J7m	SOIL MOISTURE STATION ONLY.
10J7a	AERIAL MARKER ONLY.
10J7p	STORAGE PRECIPITATION GAGE ONLY.
10J7R	RADIOACTIVE GAGE

# GREAT BASIN



# INDEX to SNOW COURSES

NO.	STATE	NAME	SEC.	TWP.	RGE.	ELEV.
			LAT.	OR AND	LONG.	

## GREAT BASIN

### BEAR RIVER

10G11	Wy	Big Park	7	27N	117W	8700
11H13MP	U	Dry Bread Pond	19	8N	4E	8230
11G7	I	Emigration Canyon (mouth)	24	12S	42E	6500
11H7P	U	Garden City Summit	35	14N	4E	7600
10J6P	U	Burt's-Miller Ranch	19	3N	10E	7900
10J7P	U	Hayden Fork	1	1S	9E	9300
10G12	Wy	Kelly Ranger Station	13	26N	118W	8200
11H12P	U	Monte Cristo R. S.	3	8N	4E	8960
10G10	Wy	Piney LaBarge	19	29N	114W	8820
10J17P	U	Stillwater Camp	32	2N	10E	8550
10J28P	U	Whitney G. S.	4	1N	9E	9300

### MONTPELIER CREEK

11G16	I	Giveout	2	12S	45E	6840
11G20	I	Little Beaver	26	11S	45E	6970
11G27	I	Lower Home Canyon	17	12S	45E	7500
11G18	I	Montpelier Creek	22	12S	45E	6570
11G26	I	Upper Home Canyon	31	11S	45E	8500
11G21	I	Whiskey Flat	26	11S	45E	6985

### MINK CREEK

11G11	I	Christensen Ranch	27	13S	41E	5600
11G14A	I	Dry Basin	30	13S	42E	7900
11G6MP	I	Emigrant Summit	21	12S	42E	7350
11G15A	I	Horseshoe Basin	31	13S	42E	8000
11G13A	I	Liberty Spring	7	13S	42E	8600
11G9M	I	Strawberry Creek	9	13S	41E	5800
11G10	I	Strawberry Mink Divide	14	13S	41E	6800

### CUB RIVER

11G12	I	Cub River Ranger Station	5	15S	41E	5400
11G8S	I	Franklin Basin	1	16S	41E	8000
11G4P	I	Willow Flat	2	15S	41E	6100
11G28	I	Worm Creek	28	14S	41E	6660

### MALAD RIVER

12G13	I	Cliff Canyon	13	12S	35E	7200
12G12	I	Daniels Creek	11	12S	35E	6400
12G4	I	Dry Creek Flat	28	13S	37E	6480
12G11	I	Lower Elkhorn	30	12S	36E	7000
12G3	I	Oxford Mountain	27	13S	37E	6800
12G10	I	Upper Elkhorn	25	12S	35E	7100

## LEGEND

### Numbering System (example)

10J7	SNOW COURSE ONLY.
10J7P	SNOW COURSE AND PRECIPITATION GAGE.
10J7M	SNOW COURSE AND SOIL MOISTURE STATION.
10J7A	SNOW COURSE AND AERIAL MARKER.
10J7s	PRESSURE PILLOW ONLY.
10J7S	SNOW COURSE AND PRESSURE PILLOW.
10J7MA	SNOW COURSE, SOIL MOISTURE STATION AND AERIAL MARKER.
10J7MP	SNOW COURSE, SOIL MOISTURE STATION AND PRECIPITATION GAGE.
10J7m	SOIL MOISTURE STATION ONLY
10J7a	AERIAL MARKER ONLY.
10J7p	STORAGE PRECIPITATION GAGE ONLY.
10J7R	RADIOACTIVE GAGE

# IMPORTANT NOTICE

## WATER SUPPLY OUTLOOK FOR IDAHO

If you wish to continue to receive this publication, detach this page, sign your name in the space below, fold on the heavy line, staple or tape the folded page and mail. If more than one copy of the publication is desired, place the number in the box by your signature.

Signed: \_\_\_\_\_

Suggestions, comments or remarks: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Print or type your name and address on back of this sheet, if it is not there already

( FOLD HERE )



RETURN IF NOT DELIVERED  
UNITED STATES  
DEPARTMENT OF AGRICULTURE  
SOIL CONSERVATION SERVICE  
304 N. 8th. ST. ROOM 345  
BOISE, IDAHO 83702

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF  
AGRICULTURE  
AGR-101



# FIRST CLASS MAIL

SNOW SURVEY SUPERVISOR  
SOIL CONSERVATION SERVICE  
304 N. 8th ST. ROOM 345  
BOISE, IDAHO 83702

( DETACH HERE )



UNITED STATES DEPARTMENT OF AGRICULTURE  
SOIL CONSERVATION SERVICE

ROOM 345  
304 N. 8TH ST.  
BOISE, IDAHO 83702

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

U.S. DEPT. OF AGRICULTURE  
U.S. NATL. AGRIC. LIBRARY  
MAIL RECEIVED

APR 25 '79

PROCUREMENT SECTION  
CURRENT SERIAL RECORDS

## FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Furnishes the basic data  
necessary for forecasting  
water supply for irrigation,  
domestic and municipal water  
supply, hydro-electric power  
generation, navigation,  
mining and industry

*"The Conservation of Water begins  
with the Snow Survey"*

USDA NATIONAL AGRICULTURAL  
LIBRARY  
CURRENT SERIAL RECORD  
BELTSVILLE, MARYLAND 20705



POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF  
AGRICULTURE  
AGR-101

# FIRST CLASS MAIL